U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL WEATHER SERVICE

OFFICE NOTE 149

The U.S. Standard Atmosphere on the HP67/HP97

Frederick G. Shuman National Meteorological Center

JUNE 1977

This is an unreviewed manuscript, primarily intended for informal exchange of information among NMC staff members.

General

When one of pressure, height, temperature, or potential temperature is input, the program outputs the other three. The program is on a magnetic card, one side containing the program itself, the other side the constants.

Input and output

To operate the program, first read in both sides of the magnetic card. Then key in the input parameter and press the key shown in the table. Outputs will be stored in the registers as shown, including the input parameter.

Mathematical symbol	Input parameter	Key	Output registe	
p	Pressure (mb)	Α	Α	
${f z}$	Height (m)	В	${f B}$	11
T	Temperature (°A)	С	C	
θ	Potential temperature (°K)	D	D	

On the HP97 output will also be printed in the order: pressure, height, temperature, potential temperature. On the HP67 output will be flashed on the display in the same order.

Symbols

g	gravity
R	gas constant
γ	lapse rate of temperature in troposphere
$\gamma_a = g/R$ $c = \gamma/\gamma_a$	autoconvective lapse rate
$c = \gamma/\gamma_a$	
cn	specific heat at constant pressure
c_p $k = R/c_p$	

Parameter Symbol		Mean sea level tropopause			
pressure	p	\mathbf{p}_{o}	p*		
height	. Z	$z_0 = 0$. Z ≭		
temperature	${f T}$	T_{o}	T*		
potential temperatur	re θ	θ_{o}	θ*		

Constants

The basic constants are taken from List, R. J., 1951: <u>Smithsonian Meteorological Tables</u>, 6th rev. ed., Smithsonian Institution, Washington, pp. 265, 266, 289, 308.

Basic constan	t	Value			
Y c p o T o k P		.0065 °A/m 0.190 284 1013.25 mb 288 °A 218 °A 2/7 1000 mb			

The constants stored are

Register	Symbol	Value
0	p* (mb)	234.510 0006
1	z* (m)	10 769. 230 76
2	T* (°A)	218.
3	θ* (°K)	329.921 3257
4	С	0.190 284
5	- T*/γ (m)	-33 538.461 54
6	k	0.285 714 2857

Formulas

The constants, p*, z*, T*, θ *, were calculated from formulas numerically consistent with the programmed calculations for p, z, T, θ :

$$p* = p_{o} \left(\frac{T_{*}}{T_{o}}\right)^{1/c}$$

$$z* = \frac{T^{*}}{\gamma} \left[\left(\frac{p_{o}}{p^{*}}\right)^{c} - 1 \right]$$

$$\theta_{o} = T_{o} \left(\frac{P}{p_{o}}\right)^{k}$$

$$\theta* = \theta_{o} \exp \left[\left(c - k\right) \ln \frac{p^{*}}{p_{o}}\right]$$

Outputs, p, z, T, θ , are calculated from the following formulas:

Output	${\tt Troposphere}$	Stratosphere
p	$p^* \exp \left[\frac{1}{c} \ln \left(\frac{-\psi}{T^*} (z - z^*) + 1 \right) \right]$	$p* \exp \left[\frac{1-y}{c}(z-z*)\right]$
p	$p*\left(\frac{T}{T*}\right)^{1/c}$	p* (see below)
p	$p* \exp \frac{\ln (\theta/\theta*)}{c-k}$	$p* \exp \frac{\ln (9/0*)}{-k}$
Z	$z^* + \frac{T^*}{-\gamma} \left[\left(\frac{p}{p^*} \right)^c - 1 \right]$	$z^* + \frac{T^*}{-\gamma} \ln \left(\frac{p}{p^*}\right)^c$
Т	$T*\left(\frac{p}{p*}\right)^{c}$	T*
θ	$\theta * \exp \left[- (c-k) \ln \frac{p^*}{p} \right]$	$\Re \exp\left(k \ln \frac{p^*}{p}\right)$

The U.S. Standard Atmosphere has no temperature below T*. If input $T \le T^*$, the program will yield values of p, z, θ at the tropopause. T as input will be output, however.

Note also that z, T, and θ are calculated from p. If z, T, or θ are input, then output p is calculated first from one of the first three formulas, and the other outputs from two of the last three formulas.

Use and status of calculator features.

The parts of the calculator that are used are

Registers 0 - 6, A - D Labels A - D, 0 - 9 Program memory steps 001 - 112

No flags are used. Display status is FIX DSP 9. Trig status is DEG, but is immaterial to the operation of the program.

Only two returns are held pending for nested subroutines, so you may program the unused parts of the calculator, using this program as a set of subroutines. However, you must not write a GSB A, GSB B, GSB C, or GSB D within one of your subroutines, otherwise you will violate the limit of three pending returns.

Parts of the calculator available for your program are

Registers 7 - 9, S0 - S9, E, I Labels E, a - e Program memory steps 113 - 224 All flags Trig status

Program li	isting
------------	--------

i ogrami	11361118	<u> </u>					
50i	#LBL-		(<i>057</i>	έ×	33
					- 1	ROLE :	35 66
0 52	370H	35 11		e to the Lagran	9 58		
965	GEET "	1 23 35			0 59	* A	-35
094	2700	22 22			Ober 1	57.0A	35 i <i>i</i>
<i>0</i> .65	*LELE	21 12			061	3855	23 05
		35 12		100	<i>952</i>	-8353	25 83
99c		35 12					
<i>0</i> 67	FCLI	36 VI			053	*LEL2	21 02
693		-45			9 64	RCL6	36 11
009	, <u>, , , , , , , , , , , , , , , , , , </u>	35 85			<i>0</i> 65	RCLE	36 12
010	a seeme	-24			066	RCLC	36 13
	A VE					FOLE	
011	A Se	15-45			857	RCLD	36 14
912	ET 25	22 88			869	FR57	15-14
013		δi			869	RTH:	24
014		-55			670	*LBL3	21 03
						9589	23 09
015	<u> </u>	32			5 71	and the second s	
e i i	* _ Ē_Ē	21 86			872	1.1	81
817	1524	35 04			973	X±Y?	16-35
818		-24			974	Ω#7 Λ+1	-4i
613		<u> </u>			075	ROLE	56 0 2
	# 1						
	F1113	୍ତିକ୍ ବିଥି			.076	$\mathcal{A}_{i} = \mathcal{A}_{i}$	-35
821	. Q. 18	-35			677	\$700	35, 13
<i>02</i> 2	277E	35 ii			<i>0</i> 78	RTM	24
	FLELS	21 68				*LBL5	21 85
							23 09
Ø24	GEEE	25 83			999	65 <i>E5</i>	
025	6701	22 01		e jako jih	<i>681</i>	- 1	Øj
025	*LōLI	Zi 13			982	1 - L	-45
027	STOC .	33 13			883	X207	15-44
028	E715	36 82			884		22 06
920 555	RULL					9 ,02	61
	. X. 7	16-34			<i>885</i>		
030	· EliTT	-21			885	-	-55
631		-24			.087	≟Ñ • .	32.
032	ROL4	35 04			888	*_5_5	21 36
833	2.7	53			889	2015	35 85
	# 2 6 3					A.	-35
034		31			898		
635	RULE	35 00			091	TOLL	36 Bi
<i>0</i> 36		-55			092	7	-55
037	STOR	35 11			693	STOE	35 12
070		23 85			994		24
676	6020 ann: 1				ರಾವರ ೧೧೯	*LEL4	21 04
039	#LD_1	Zi 81			674	*======	41 07
040	Ruch	36 ê0			996	LK	32
641	#LB11 RG13 RG14 +	35 41 /			897	ē	68
942	÷	-24 23 34			<i>098</i>	X±77 GT07	16-35
Ø43	2954	57.54			099	GTAT	22 07
Ð-4		75			100	5.7	-31
	27.2	-35 -22 -33 -36 <u>9</u> 3			188 181	RQL4 #2517 RCL6	~ - c.
₽45	IHE	-22			161	tiert -	35 04
646	E. FOLI	33			162	*LELT	Z1 07
€47	FULT	Z£ 93			103	RSL6	36 86
842		- 35			104	· · · · · · · · · · · · · · · · · · ·	-45
646 649		-35 35 14			105	i e.e. RTN:	5.4 5.4
: 영두고	5792 j	00 1 4			100	ក់ ស្រុក ប្រកាសក	24 21 8 9
950	GTOE WLELD	22 82			186	≱LBL9	21 03
851	FLELL	21 14			197	ROLA	36 11
252	570 <u>5</u>	35 i 4			108		36 00
053	XSL3	35 0 3			109	÷	-24
ರಾವಾಗ ಕ್ಷಾಗ	Note ÷		.		202 440	RCL4	35 54
054	o a Torres O alaman	-24			110	T-L-1	- 20 04
	63E4	23 04		1000	111	γ×	31
<i>055</i>	_	-24			112	RTM	24
					100		